

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/913,720	08/31/2001	Hans-Urich Petereit	211892USOPCT	2655
22850 7590 08/01/2007 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			VENKAT, JYOTHSNA A	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			1615	
			NOTIFICATION DATE	DELIVERY MODE
			08/01/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
09913720	8/31/01	PETEREIT ET AL.		211892USOPCT	
		EXAMINER			
OBLON, SPIVAK, MCC 1940 DUKE STREET	·	JYOTHSNA A. VENKAT Ph. D			
ALEXANDRIA, VA 223	14		ART UNIT	PAPER	

1615 20070725

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

JYOTHSNA A VENKAT Ph. D Primary Examiner Art Unit: 1615

DETAILED ACTION

The IDS submitted on 3/29/06 has not been considered since it is submitted after prosecution closed and IDS does not comply with 37 CFR 1. 97. The letter submitted on 4/10/07 and NPL document regarding office action by the Canadian office is not considered since it is submitted after prosecution closed and if the NPL document is indeed an IDS, then the NPL document does not comply with 37 CFR 1.97 and 1.98. It is placed of record in the file.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JYOTHSNA A. VENKAT Ph. D whose telephone number is 571-272-0607. The examiner can normally be reached on Monday-Friday, 10:30-7:30:1st Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL WOODWARD can be reached on 571-272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/913,720 Art Unit: 1615

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or *STP-27*2-1000.

> JYOTHSNA A VENKAT Ph. D Primary Examiner Art Unit 1615